



CATALOG 2017-2018

 **Takla**
MARKETING ENGINEERS

SINCE 1977

Established in Lebanon since 1977, Takla Trading SAL is a leading firm in the procurement and sales of quality and tools for various industries.

Our company handles a range of products targeting many market sectors such as the industrial, construction and agricultural fields, which make us a reliable suppliers in meeting client demands.

Our main customers consist of resellers, end users as well as privately owned companies who operate in the various business sectors.

Our marketing engineers promote our products by offering customers the finest solution to their needs while maintaining best competitive prices. In addition, the maintenance team along with the large stock of spare parts, allows for fast technical assistance and repair of all defective equipment in due time.

“Power Line” products, which consist of products made in China, have been introduced in 2002, and ever since been a major player in the market, due to their reliability and affordable prices.

The lebanese market is the major market of our operations, however our customers extend to an international scale covering many Middle Eastern and African countries, where our products are fully present.

This catalogue is a preview of the major products distributed by Takla Trading SAL, and the various applications to which those products are destined in the different sectors of the market.



CONTENTS

1 - INDUSTRIAL EQUIPMENT & MACHINERY

Welding Machines	4
Plasma Cutting Machines	6
Welding Pressure Reducers	7
Engines	8
Generators	9
Compressors	10
Air Tools & Accessories	11
Engine Pumps	12
Water Pumps	13
Fuel Dispensers & Pumps	14
Greasing & Lubricating Equipment	15
Power Tools	16
Electric Motors & Pumps	17
High Pressure Cleaners & Vacuum Cleaners	18
Industrial Machinery	20
Ladders	21
Electric Tools	22
Chain Hoists	23
Thermo Tools & Cable Reels	24
Snow Blowers	25

2 - CONSTRUCTION EQUIPMENT

Pipe & Tubing Tools	28
Drain Cleaning	30
Video Inspection, Locating	31
Light Construction Equipment	32
Bar Benders & Cutters	34
Table Saws, Grinding & Polishing Machines	35

3 - AGRICULTURAL EQUIPMENT

Lawn Mowers	38
Lawn Tractors	39
Agricultural Sprayers	40
Power Sprayers	41
Spraying Accessories	42
Chainsaws & Brush Cutters	43
Motor Hoes & Garden Tools	44
Irrigation Accessories	45
Hose Reels, Garden Rakes & Brooms	46
Foggers & Milking Machines	47

4 - POWERLINE EQUIPMENT

Generators	50
Welding Machines & Battery Chargers	52
Welding Consumables & Accessories	53
Compressors	54
High Pressure Cleaners & Vacuum Cleaners	55
Engines & Pumps	56
Electric Water Pumps	57
Power Tools	58
Hand Trucks	60
Pallet Trucks & Stackers	61
Platforms	62
Fuel Dispensers & Pumps	63
Greasing & Lubricating Equipment	64
Magnetic Drills, Electric Motors & Cut Off Machines	65
Drill Presses & Bench Grinders	66
Ladders	67
Light Construction Equipment	68
Electric Hoists & Winches	70
Diamond Core Drills & Floor Saws	71
Agricultural Sprayers	72
Power Sprayers	73
Chain Saws & Brush Cutters	74
Power Tillers	75
Garden Tools	76
Shredder Chippers & Olive Shakers	77
Garage Equipment	78
Tyre Machines & Inflation	79
Post Lifts	80





1

**INDUSTRIAL EQUIPMENT
& MACHINERY**

WELDING MACHINES



MMA WELDING



Nordika Series
Consumer Range



Artika 270
Professional Range



Quality 280 AC/DC
Professional Range



Linear Series
Industrial Range
Three Phase Supply

MMA WELDING (INVERTER)



Force 125 - 145
Consumer Range



Tecnica 171/S - 211/S
Professional Range



Superior 400CE
Industrial Range
Three Phase Supply

TIG WELDING (INVERTER)



**Tecnica Tig 160
DC-HF/LIFT**
For welding steel, stainless
steel and their related materials



**Technology Tig 230
DC-HF/LIFT**
For welding steel, stainless
steel and their related materials



**Technology Tig 182
AC/DC-HF/LIFT**
For welding aluminium and
all other types of materials



**Superior Tig 312
AC/DC-HF/LIFT**
For welding aluminium and
all other types of materials

TIG WELDING (TRADITIONAL)



**Supertig 200
AC/DC-HF**
For welding aluminium and
all other types of materials



**Supertig 280
AC/DC-HF/LIFT**
For welding aluminium and
all other types of materials

MIG WELDING (INVERTER)



Technomig 200
Synergic function for easier settings
and better welds
Can weld MMA, MIG and TIG
in scratch mode

MIG WELDING (TRADITIONAL)



Telmig 180/2 Turbo
Professional Range



Mastermig 270/2
Industrial Range
Three Phase Supply



Mastermig 400
Industrial Range
Three Phase Supply

SPOT WELDING



Modular 20 TI
1+1mm
Modular 20 TI
2+2mm



Alucar 5100
Welding of 3 to 4mm studs
Aluspotter 6100
Welding of 3 to 8mm studs



Digital Car Spotter 5500
Digital Spotter 9000 R.A



PTE 18-28
2 Phase Supply
3+3 - 5+5mm
Mechanical
PCP 18-28
2 Phase Supply
3+3 - 5+5mm
Pneumatic

PLASMA CUTTING MACHINES



PLASMA CUTTING (INVERTER)



Technology Plasma 41

12mm cutting capacity



Technology Plasma 54K

10mm cutting capacity
Compressor inside



Superior Plasma 60 HF

20mm cutting capacity
Three phase supply



Superior Plasma 90 HF

30mm cutting capacity
Three phase supply

PLASMA CUTTING (TRADITIONAL)



Superplasma 83 HF

20mm cutting capacity
Three phase supply



Superplasma 130 HF

30mm cutting capacity
Three Phase supply



Enterprise Plasma 160 HF

45mm cutting capacity
Three phase supply

BATTERY CHARGERS & STARTERS



Alpine Series

Traditional chargers for wet batteries



Autotronic 25 Boost

Automatic and manual charger for all battery types



Digitrony 230 Start

Charger, starter and tester for all battery types



Dynamic Series

Traditional charger/ starter for large battery capacities



OXYGEN SERIES



Maxy Oxygen

Class 3 pressure reducer
Outlet Pressure: 10 bar
Standard Flow: 30m³/h

ACETYLENE SERIES



Maxy Acetylene

Class 2 pressure reducer
Outlet Pressure: <1.5 bar
Standard Flow: 5m³/h

CO2-ARGON SERIES



Maxy CO2-Argon

Class 1 pressure reducer
Outlet Pressure: 4 bar
Standard Flow <1.5m³/h

CO2-ARGON SERIES



Mini LP Gauge

Class 1 pressure reducer
Outlet Pressure: 4 bar
Standard Flow <1m³/h



Maxy Flux

Class 1 pressure reducer
Outlet Pressure: 3.5 bar
Standard Flow >2m³/h



Maxy 2 Flux

Class 1 pressure reducer
Outlet Pressure: 3.5 bar
Standard Flow >2m³/h

BURNERS



Oxylaser Iron Piezzo

Fuel: Butane 190g cartridges
Ignition: Piezzo (Auto Ignition)



Easyflame

Practical and safe lighter with auto ignition
Fueled by Propane/ Butane 210g or 330g cartridges with 7/16 valve

ENGINES



JAPAN



EX SERIES



EX 17 Premium
Power: 6HP



EX 21 Premium
Power: 7HP



EX 27 Premium
Power: 9HP

EY SERIES



EX 40 Premium
Power: 14HP



EY 20 - 3D
Power: 5HP



EY 28
Power: 7.5HP



JAPAN



GX SERIES



GX 160
Power: 5.5HP
Available in 2:1 gear reduction



GX 270
Power: 9HP



GX 390
Power: 13HP



JAPAN



GASOLINE GENERATORS



RGX 2900

Rated Power: 2000W, 9A
Starting System: Recoil

RGX 3600E

Rated Power: 2400W, 11A
Starting System: Electric / Recoil



RG 3200iS

Type: Inverter
Rated Power: 2800W, 12.7A
Starting System: Electric / Recoil

RG 4300iS

Type: Inverter
Rated Power: 3800W, 17.2A
Starting System: Electric / Recoil

DIESEL GENERATORS




RGN 5100

Rated Power: 3600W, 16.7A
Starting System: Electric / Recoil



RGD 3300

Rated Power: 2700W, 12A
Noise Level: 64.5dB at 7m



FV-7.5SKBS

Rated Power: 5.6KVA, 25A
2 cylinders, water cooled
Noise Level: 65dB at 7m

FV-11SKBS

Rated Power: 8.4KVA, 38A
3 cylinders, water cooled
Noise Level: 64dB at 7m



FV-14TDKBS

Rated Power: 10.8KVA
3 cylinders, water cooled
Noise Level: 64dB at 7m

FV-28TDKBS

Rated Power: 20.5KVA
4 cylinders, water cooled
Noise Level: 63dB at 7m

COMPRESSORS



OILLESS COMPRESSORS



Silverstone
Type: Direct
Flow Rate: 100L/min



Silverstone 2
Tank Capacity: 5L
Flow Rate: 100L/min



Extreme 3 30L
Tank Capacity: 30L
Flow Rate: 240L/min
Motor Power: 1.5HP

Extreme 3 50L
Tank Capacity: 50L
Flow Rate: 240L/min
Motor Power: 1.5HP

DENTAL COMPRESSORS



Extreme 3D 50L
Tank Capacity: 50L
Flow Rate: 350L/min
Motor Power: 2.0HP



Extreme 4D 90L
Tank Capacity: 90L
Flow Rate: 480L/min
Motor Power: 2.5HP



Extreme SD 30L
Tank Capacity: 30L
Flow Rate: 350L/min
Motor Power: 2.0HP
Noise Level: 64dB

INDUSTRIAL COMPRESSORS



Single Stage
100L, 2HP, 256L/min
150L, 2HP, 256L/min
200L, 3HP, 340L/min



Double Stage
270L, 4HP (1Ph/ 3Ph), 450L/min
500L, 7.5HP, 850L/min
500L, 10HP, 1250L/min



AIR BLOW GUNS



Mod. 27A

Mod. 27B

SAND BLASTING GUNS



Mod. SGT

WASHING GUN



Mod. 28A

TYRE INFLATING GUNS



Mod. 27G



Mod. 27GS



Mod. 27GSS

PRESSURE CONTROLLER



Mod. 27F

PAINT SPRAY GUNS



Mod. 28D



Mod. 28C

CONNECTORS



Mod. 15A2U, 15C2U, 152U

FPR UNIT



Mod. 1 & Mod. 2

FILTERS, REGULATORS, LUBRICATORS



Mod. FM



Mod. FRM



Mod. FRL3M

AIR HOSES



Reffitex & Refitex Ergon

ENGINE PUMPS



JAPAN



CLEAR WATER PUMPS



SEM-25L
1" (25mm)
35m Head, 115L/min
Mitsubishi TU-26



SEH-50X
2" (50mm)
30m Head, 600L/min
Honda GX-120

SEH-80X
3" (80mm)
27m Head, 930L/min
Honda GX-160



SE-50X
2" (50mm)
30m Head, 600L/min
Robin EY-15

SE-80X
3" (80mm)
26m Head, 930L/min
Robin EY-20



SEV-50X
2" (50mm)
27m head, 620 L/min
Koshin K-180

SEV-80X
3" (80mm)
27m head, 1050 L/min
Koshin K-180



SE-80XD
3" (80mm)
23m head, 900 L/min
Robin DY-23 Diesel

SUCTION & DELIVERY HOSES



Available in: 1", 2" and 3" diameters

HIGH PRESSURE PUMPS



SEM-50V
2" (50mm)
50m head, 500L/min
Mitsubishi GT-600



SERM-50V
2" (50mm)
90m Head, 500L/min
Mitsubishi GT-600



KTH-80X
3" (80mm)
27m Head, 1340L/min
Honda GX-240



CENTRIFUGAL PUMPS



C-150

Motor Power: 1.5HP
Head: 36m
Flow Rate: 125L/min



C-200

Motor Power: 2.0HP
Head: 43m
Flow Rate: 125L/min

VERTICAL MULTISTAGE PUMPS



VG-60

Motor Power: 3.0HP
Head: 73m
Flow Rate: 160L/min



VG-80T

Motor Power: 4.0HP
Three Phase
Head: 97m
Flow Rate: 180L/min

JET PUMPS



JET-202

Motor Power: 1.5HP
Head: 47m
Flow Rate: 158L/min

TRASH PUMPS



DIG-2

Motor Power: 2.0HP
Head: 19m
Flow Rate: 670L/min

SEMI-TRASH & TRASH SUBMERSIBLE PUMPS



A-115

Connection Diam: 1.5"
Motor Power: 1HP
Head: 18m
Flow Rate: 250L/min



B-112

Connection Diam: 2"
Motor Power: 1HP
Head: 12m
Flow Rate: 350L/min



B-333

Connection Diam: 3"
Motor Power: 3HP (3Ph)
Head: 17m
Flow Rate: 900L/min



B-353

Connection Diam: 3"
Motor Power: 5HP (3Ph)
Head: 22m
Flow Rate: 1100L/min

FUEL DISPENSERS & PUMPS



PUMPS



Carry 3000 inline
Voltage: 12V or 24V
Flow Rate: 50L/min
Power: 300W



Panther 56
Voltage: 230V
Flow Rate: 56L/min
Power: 600W



Viscomat 70
Voltage: 230V
Flow Rate: 25L/min
Pressure: 6 Bar

FLOW METERS



K-24A (Diesel)
K-24UL (Gasoline & Diesel)
Flow Rate: 7-120L/min
Pressure: 20 bar



K-24 (Water, Milk)
Flow Rate: 7-120L/min
Pressure: 20 bar



K-44 (Diesel)
Flow Rate: 20-120L/min
Pressure: 10 bar
Digits: 4



K-33 Atex (Gasoline)
Flow Rate: 20-120L/min
Pressure: 3.5 bar
Digits: 3

DISPENSERS



Cube 56
Voltage: 230V
Flow Rate: 56L/min
Power: 600W
With optional pedestal



Battery Kit 12V
Voltage: 12V
Flow Rate: 50L/min
Power: 300W

OIL CHANGER



Cambiaolio
Voltage: 230V
Flow Rate: 2-10L/min
Power: 350W



HAND OPERATED GREASE PUMP



Model 8400
Tank Capacity: 16 Kg

HAND OPERATED OIL PUMP



Model 50400
Tank Capacity: 16 Kg

PNEUMATIC GREASE KITS



Model 81920
Grease-Kit complete with all accessories for 60Kg drums



Model 81940
Grease-Kit complete with all accessories for 205Kg drums

PNEUMATIC OIL PUMP KIT



Model 35856 Kit
Pneumatic oil distribution fixed unit for 208L drums with digital meter

PNEUMATIC OIL EXTRACTOR



Model 90005
Tank Capacity: 80L
Equipped with 10L side collection bowl & pre-inspection chamber

SPARKY
HD PROFESSIONAL

BULGARIA



DRILLS



BR 100E
Power: 350W
Drilling Capacity: 10mm

IMPACT DRILLS



BUR 131E
Power: 600W
Drilling Capacity: 13mm

2 SPEED IMPACT DRILL



BUR2 160E HD
Power: 720W
Drilling Capacity: 16mm

ROTARY HAMMERS SDS PLUS



BPR 240E HD
Power: 720W
Drilling Capacity: 24mm

ROTARY HAMMERS SDS MAX



BP 540CE HD
Power: 1010W
Drilling Capacity: 40mm

ANGLE GRINDERS



M 750 HD
Power: 750W
Disk Diam: 125mm



MA 2000 HD
Power: 2000W
Disk Diam: 230mm

CIRCULAR SAWS



TK-70 HD
Power: 1400W
Blade Diam: 200mm

SHEET SANDER



MP-250
Power: 250W
Sheet Size: 108 x 112mm

JIG SAW



TH-65E
Power: 550W
Cutting Depth: 65mm



CUTTING METAL



115 x 3.2 x 22.23mm
230 x 3.2 x 22.23mm
305 x 3.5 x 25.4mm

CUTTING INOX



115 x 1.0 x 22.23mm
230 x 2.0 x 22.23mm

CUTTING STONE



115 x 3.2 x 22.23mm
230 x 3.2 x 22.23mm

GRINDING METAL



115 x 6.4 x 22.23mm
230 x 6.4 x 22.23mm



SINGLE PHASE MOTORS



2HP
Power: 2HP
RPM: 2800
Frame Size: 80



3HP
Power: 3HP
RPM: 2800
Frame Size: 80



4HP
Power: 4HP
RPM: 2800
Frame Size: 90



4HP
Power: 4HP
RPM: 2800
Frame Size: 90

5.5HP
Power: 5.5HP
RPM: 1450
Frame Size: 100

7.5HP
Power: 7.5HP
RPM: 1450
Frame Size: 112



HIGH PRESSURE PUMPS



XM 11.17
Pressure: 170 Bar
Flow Rate: 11 L/min



RK 20.15
Pressure: 200 Bar
Flow Rate: 15 L/min

HIGH PRESSURE CLEANERS & VACUUM CLEANERS



THE SMALL POWER PACKS



HD 7/122
 Pressure: 120 Bar
 Flow Rate: 7L/min
 Hose Length: 10m



K-1152 TS T
 Pressure: 130 Bar
 Flow Rate: 10L/min
 Hose Length: 15m



Water jetting hose
 Length: 30m
 KN Nozzle included

THE QUADROS



Quadro 9/170 TS T
 Pressure: 170 Bar
 Flow Rate: 9L/min
 Hose Length: 15m



Quadro 800 TS T
 Pressure: 250 Bar
 Flow Rate: 13.3L/min
 Hose Length: 20m



Sandblaster Set
 Min Flow: 10L/min
 Max Flow: 19L/min

PETROL DRIVEN



B 170 T
 Pressure: 150 Bar
 Flow Rate: 12.5L/min
 Hose Length: 20m



B 270 T
 Pressure: 250 Bar
 Flow Rate: 16L/min
 Hose Length: 20m

SWEEPERS



The Kranzle 2+2
 Working Width: 80cm
 Storage Bin: 40L



HOBBY LINE



Zumba
Pressure: 110 Bar
Flow Rate: 5.5L/min



House
Pressure: 120 Bar
Flow Rate: 5.5L/min



Rumba 140
Pressure: 140 Bar
Flow Rate: 7.5L/min



Techno 160
Pressure: 160 Bar
Flow Rate: 8.5L/min

SEMI-PROFESSIONAL LINE



Exxel
Pressure: 130 Bar
Flow Rate: 7.5L/min



Groove
Pressure: 140 Bar
Flow Rate: 6.75L/min



Fox
Pressure: 145 Bar
Flow Rate: 8L/min



Progressive
Pressure: 160 Bar
Flow Rate: 8.5L/min

PROFESSIONAL



Explorer 2015 LP RA
Pressure: 200 Bar
Flow Rate: 15L/min



Sundeck 5 31Y
Pressure: 110 Bar
Flow Rate: 11L/min
Water Temperature: 140°C

Sundeck 5 55Y -75Y
Pressure: 150 Bar -200 Bar
Flow Rate: 15L/min
Water Temperature: 140°C

VACUUM CLEANERS



Windy 365 IR
Motors: 3
Power: 3600W



DRILLING & MILLING MACHINES



RF-25
 Voltage: 230V, 1PH
 Drilling Capacity: 25mm (1")
 Face Mill: 76mm (3")
 End Mill: 20mm (3/4")
 Tapping: 16mm (5/8")



RF-400 HC
 Voltage: 400V, 3PH
 Drilling Capacity: 32mm (1 1/4")
 Face Mill: 76mm (3")
 End Mill: 20mm (3/4")
 Tapping: 16mm (5/8")



RF-40 HC
 Voltage: 400V, 3PH
 Drilling Capacity: 40mm (1 1/2")
 Face Mill: 100mm (4")
 End Mill: 20mm (3/4")
 Tapping: 20mm (3/4")
 Geared Head

BAND SAWS



RF-128
 Voltage: 230V, 1PH
 Cutting Capacity (Round):
 128mm (5")
 Cutting Capacity (Square):
 115 x 150mm (4 1/2" x 6")



RF-712N
 Voltage: 230V, 1PH
 Cutting Capacity (Round):
 178mm (7")
 Cutting Capacity (Square):
 178 x 305mm (7" x 12")



RF-912B
 Voltage: 400V, 3PH
 Cutting Capacity (Round): 229mm (9")
 Cutting Capacity (Square):
 178 x 305mm (7" x 12")



HOUSE LADDERS



Genesi
Structure: Aluminium
Versions: 3 to 8 steps
Load: 100Kg



Sintonia Eco
Structure: Aluminium
Versions: 3 steps
Load: 100Kg



Item 2
Structure: Aluminium
Versions: 16+16 and 20+20 steps
Load: 150Kg

TELESCOPIC STEEL LADDERS



Multi
Structure: Steel
Versions: 4+4 steps
Load: 100Kg



Phenomena EN
Structure: Steel
Versions: 5+5 steps
Load: 150Kg



Proline
Structure: Aluminium
Versions: 4+4 steps
Load: 100Kg

Profi
Structure: Aluminium
Versions: 5+5 and 6+6 steps
Load: 100-150Kg



MANUAL CABLE CUTTERS



MC-20/30/50

Cable Capacity: 120mm² & 20mm
 Cable Capacity: 250mm² & 31mm
 Cable Capacity: 500mm² & 50mm

RATCHET CABLE CUTTERS



RC-40/55

Cable Capacity: 40/55mm

RC-70

Cable Capacity: 70mm

MANUAL HYDRAULIC CRIMP TOOLS



RE 60-MLR-CU STD DIES

Cable Capacity (CU): 300mm²
 Cable Capacity (Al): 24

ELECTRICAL TOOLS



RE 60 3-in-1 ELECTRICAL TOOL

Crimping Capacity: 300mm²
 Punching Capacity: 63.5mm
 Cutting Capacity: 50mm O.D



KOREA

LEVER HOISTS



Lifting Capacities:
0.5 up to 6.3 Tons

MANUAL CHAIN HOISTS



Lifting Capacities:
0.5 up to 20 Tons

LEVER HOISTS



KOREA

NITCHI

JAPAN



Type: 2 Way
Lifting Capacities: 1, 2, 3 & 5 Tons



Type: 4 Way
Lifting Capacities: 1, 2, 3 & 5 Tons



HOT MELT GLUE GUN



GLUEFIX GUN



CORDLESS GLUE GUN



TOOLBOXES



Cargo 311N

Type: Cargo
Tool Case: 1
Dimensions: 38x19.5x15cm



Cargo 515N

Type: Cargo
Tool Case: 2
Dimensions: 48x26x24cm



Cargo 615N

Type: Cargo
Tool Case: 2
Dimensions: 57x26x26cm



INDUSTRIAL CABLE REELS



CR 34254BN

Cable: 3G, 1.5mm
Length: 25m
Max Power: 3500W

CR 34404BN

Cable: 3G, 1.5mm
Length: 40m
Max Power: 3500W

GARDEN CABLE REELS



GD 34254VR

Cable: 3G, 1.5mm
Length: 25m
Max Power: 3500W

CR 34404VR

Cable: 3G, 1.5mm
Length: 40m
Max Power: 3500W



FUEL CANISTERS



Fuel Canisters

Tank Sizes: 5, 10 & 20L
 Certified for land and sea transport
 Outlets: 2 (allowing smooth flow)



Fuel & Oil Can

Tank Sizes: 5L (total of 2 tanks)
 Certified for land and sea transport
 Outlets: 2 (allowing smooth flow)



SNOW BLOWERS



Compact Track 24

Power: 7HP
 Clearing width: 61cm
 Throwing Distance: 15m



Pro Track 28

Power: 14HP
 Clearing width: 71cm
 Throwing Distance: 20m



A large, stylized orange number '2' is centered in the upper half of the page. The background is dark grey with abstract orange geometric shapes, including a large triangle on the left and a smaller one on the right, both pointing towards the center.

CONSTRUCTION EQUIPMENT



HEAVY DUTY PIPES WRENCHES



PIPE VISES & SUPPORTS



MANUAL PIPE THREADERS



Model 11R
Capacity: 1/4" - 1 1/2"

POWER THREADERS



Model 690-1
Capacity: 1/4" - 2"

THREADING MACHINES



Model 300 Compact
Capacity 1/4" - 2"



Model 1224
Capacity: 1/4" - 4"

THREAD CUTTING OIL



Container Size: 5L, 25L

ROLL GROOVING MACHINES



Model 975 Combo Groover
Capacity: 1 1/4" - 6"

HOLE CUTTING TOOLS



HC-300
Capacity: Up to 3"

HOLE SAW KITS



Plumber's kit
General Purpose Kit

MANUAL TEST PUMPS



Model 1450
Pressure: 50 Bar

ELECTRIC TEST PUMPS



Model 1460-E
Pressure: 25 Bar



HAND TOOLS



K-25 Hand Spinner
Capacity: 3/4" - 1 1/2"

SINK MACHINES



K-45 AF-5 Sink Machine
Capacity: 3/4" - 2 1/2"

SECTIONAL MACHINES



K-50 Sectional Machine
Capacity: 3/4" to 4"



K-60SP Sectional Machine
Capacity: 1 1/4" to 6"

DRUM MACHINES



K-750 Drum Machine
Capacity: 3" to 8"

WATER JETTERS



KJ-3100 Water Jetting Machine
Capacity: 2" to 10"

HAND HELD VIDEO INSPECTION



Micro CA-25



Micro CA-100



Micro CA-300

REELS & CAMERAS



SeeSnake microDrain
Capacity: 1 ¼" - 3"~ 4"



SeeSnake Compact 2
Capacity: 1 ½" to 6"

UTILITY LOCATORS



SeekTech SR-20 Line Locator



ST-305 Line Transmitter



VIBRATORY DRIVE UNIT (ENGINE)



HVE-RF

Engine: Robin EY-20
Power: 5HP

PENDULUS INTERNAL VIBRATOR (HOSE)



HV-ZB

Head Diameters: 28, 32, 38 and 45mm
Hose Length: 6m



VIBRATORY DRIVE UNIT (ENGINE)



TVE-RF

Engine: Robin EY-20
Power: 5HP

PENDULUS INTERNAL VIBRATOR (HOSE)



TCV

Head Diameters: 32, 38, 45 and 60mm
Hose Length: 6m



MALAYSIA



CONCRETE CUTTERS



TKC-350
Engine: Honda GX-270 (9HP)
Blade Size: 40cm



TKC-450
Engine: Honda GX-390 (13HP)
Blade Size: 45cm

TAMPING RAMMERS



TK-72B
Engine: Robin EH-12 (4HP)
Shoe Size: 330x280mm

PLATE COMPACTORS



TKP-60
Plate Size: 520x360mm
Weight: 60Kg



TKL-80
Plate Size: 520x432mm
Weight: 78Kg



TKP-90
Plate Size: 550x505mm
Weight: 90Kg



TKP-110
Plate Size: 660x525mm
Weight: 110Kg

POWER TROWELS



TKT-36A
Trowel Diameter: 91cm
Engine: Robin EY-20 (5HP)



TKT-40A
Trowel Diameter: 100cm
Engine: Robin EY-28 (7.5HP)

DOUBLE TROWELS



VDPT-700
Trowel Diameter: 2x 70cm
Engine: Honda GX-390 (13HP)

BAR BENDERS & CUTTERS



BENDING & COMBINED MACHINES



P 42

Power: 4HP, 3KW
Bending Capacity: 36mm

P 52

Power: 5.5HP, 4KW
Bending Capacity: 42mm

TP 32/36

Power: 4HP, 3KW
Bending Capacity: 34mm
Cutting Capacity: 28mm

TP 40/46

Power: 5.5HP, 4KW
Bending Capacity: 40mm
Cutting Capacity: 32mm

CUTTING MACHINES



C 42

Power: 4HP, 3KW
Cutting Capacity: 34mm

C 52

Power: 5.5HP, 4KW
Cutting Capacity: 42mm



ITALY



CONSTRUCTION HOISTS



HE 300MF 300Kg, Single Phase
HE 500MF 500Kg, Single Phase
HE 500TF 500Kg, Three Phase
HE 800TF 1000Kg, Three Phase



ITALY



TABLE SAWS



ITC 1200

Length of cut: 120cm
 Depth of cut: 11cm

ITC 1500

Length of cut: 150cm
 Depth of cut: 11cm

ITC 2000

Length of cut: 200cm
 Depth of cut: 11cm

GRINDING & POLISHING MACHINES



FOLGORE 280

Disk Size: 280mm
 Power: 3HP, Single Phase

FOLGORE 330

Disk Size: 330mm
 Power: 5.5HP, Three Phase

STEPS POLISHING MACHINE



BUTTERFLY

Disk Size: 200mm
 Power: 2HP, Single Phase



GERMANY



POWER CUTTERS



PC-6114

Engine: 61cc
 Blade Size: 350mm
 Depth of cut: 12.5cm



PC-8116

Engine: 81cc
 Blade Size: 400mm
 Depth of cut: 15cm



A large, stylized green number '3' is the central focus. It is surrounded by several overlapping geometric shapes, including triangles and trapezoids, in various shades of green. The background is a solid dark grey.

3

AGRICULTURAL EQUIPMENT

LAWN MOWERS



ITALY

ELECTRIC



C-350
 Power: 1000 -1100W
 Cutting Width: 33cm



C-390
 Power: 1300W
 Cutting Width: 37cm



CS-480
 Power: 1600W
 Cutting Width: 43cm

CS-480 S
 Power: 1800W
 Cutting Width: 43cm

GASOLINE (Briggs & Stratton)



CSC-464 TR-B
 Power: 4.5HP
 Engine: B&S 450 series
 Cutting Width: 48cm
 Type: Push Type or Self Propelled



CSC- 534 S-B
 Power: 6.75HP
 Engine: B&S 675 Series
 Cutting Width: 53cm
 Type: Self Propelled

GASOLINE (Honda)



CSC 484 WSQ-H
 Power: 4.5HP
 Engine: Honda GCV-135
 Cutting Width: 48cm
 Type: Self Propelled



CSC 534 WSQ-H
 Power: 5.5HP
 Engine: Honda GCV-160
 Cutting Width: 53cm
 Type: Self Propelled



SMALL TRACTORS



XE-866 B

Power: 8.5HP
 Engine: B&S Series 875 E,S
 Deck Width: 66cm
 Transmission: Gear

XE-966 HDB

Power: 9.5HP
 Engine: B&S Series 950 E,S
 Deck Width: 66cm
 Transmission: Hydrostatic Control



Smart RN-145

Power: 14HP
 Engine: B&S PB, 1 cylinder
 Deck Width: 105cm
 Transmission: Hydrostatic Control



LARGE TRACTORS



PT-170 HD

Power: 16 HP
 Engine: B&S P.B. Series 4165 AVS
 Deck Width: 105cm
 Transmission: Hydrostatic Control



Optima LN-200H

Power: 22 HP
 Engine: B&S Intek, 2 cylinders
 Deck Width: 105cm
 Transmission: Hydrostatic Control

AGRICULTURAL SPRAYERS



VAPORIZERS & PRESSURE SPRAYERS



Alfa
Capacity: 1L



Thema
Capacity: 2L



Gamma 5
Capacity: 5L



Gamma 10
Capacity: 10L

KNAPSACK SPRAYERS



Garden 22
Capacity: 20L
Piston: Plastic
Lance: Standard Plastic



Miura 22
Capacity: 20L
Piston: Plastic or Brass
Lance: Telescopic Aluminium

DUSTERS



Tornado
Capacity: 950 cc



Twister
Capacity: 12000 cc



TAIWAN



PORTABLE ELECTRIC SPRAYERS



LS-906

Flow Rate: 6 - 8 l/min
Pressure: 35 bar

PORTABLE GASOLINE SPRAYERS



LS-910HB

Flow Rate: 11 l/min
Pressure: 40 bar

KNAPSACK GASOLINE SPRAYERS



LS-968

Tank Capacity: 23L
Flow Rate: 8 l/min
Pressure: 40 bar

HIGH PERFORMANCE SPRAYER SETS



Engine Type: Gasoline, Diesel or Electric
Pump: Any model coupled to corresponding engine

SPRAYING PUMPS



LS-22

Flow Rate: 19 l/min
Pressure: 35 bar



LS-534C

Flow Rate: 34 l/min
Pressure: 50 bar



LS-548

Flow Rate: 75 l/min
Pressure: 50 bar



LS-558

Flow Rate: 133 l/min
Pressure: 35 bar

LS-30

Flow Rate: 34 l/min
Pressure: 35 bar

SPRAYING ACCESSORIES



JAPAN



SPRAYING LANCES



Super Jet Nozzle I
Flow Rate (2Mpa): 6.8 – 8.8 l/min
Jet Distance: 9m

Super Top Nozzle 35
Flow Rate (2Mpa): 29.5 – 35.8 l/min
Jet Distance: 19m

SPRAYING LANCES



P-58
Flow Rate (2Mpa): 4 – 7.5 l/min
Jet Distance: 10m

SPRAYING HOSE REELS



Small Type
Hose Diam: 8.5mm
Hose Length Capacity: 50m



STH Type
Hose Diam: 8.5mm
Hose Length Capacity: 150m



JAPAN



SPRAY HOSES



HP-8.5
Internal Diam: 8.5mm
Length: 50m

HP-10
Internal Diam: 10mm
Length: 50m

HP-13
Internal Diam: 13mm
Length: 50m



KOREA



SPRAY HOSES



STR-8.5
Internal Diam: 8.5mm
Length: 50m

STR-10
Internal Diam: 10mm
Length: 50m



GERMANY



GASOLINE & ELECTRIC CHAINSAWS



PS-35

Displacement: 35 cc
Guide Bar: 40cm



PS-420

Displacement: 42 cc
Guide Bar: 45cm




PS-5105

Displacement: 50 cc
Guide Bar: 45cm



PS-6400


Displacement: 64 cc
Guide Bar: 60cm



ES-173 A

Power: 2000W
Guide Bar: 40cm

HEDGE TRIMMERS



HT-365

Power: 550W
Blade Size: 65cm



TAIWAN



SHOULDER TYPE BRUSH CUTTERS



BC350HU

Engine: Honda GX 35 (4-Stroke)
Displacement: 35 cc

BACKPACK TYPE BRUSH CUTTERS



BC350H-BK

Engine: Honda GX 35 (4-Stroke)
Displacement: 35 cc

MOTOR HOES & GARDEN TOOLS



DIESEL MOTOR HOE



R4 Diesel
 Engine: Lombardini LD510
 Power: 14HP



GASOLINE MOTOR HOE



Euro 5
 Engine: Honda GX-160 or B&S 950 series
 Power: 5.5HP



PRUNING SHEARS



GRASS SHEARS



FOLDING SAW



HEDGE / LOPPING SHEARS



LONG REACH PRUNER



VERSATILE TREE PRUNER





CONNECTORS



Open Type Connectors
Capacity: 1/2" - 5/8" or 3/4"



Tap Connectors
Capacity: 1/2" - 3/4"



Medium Size Spray Nozzle
Max Flow Rate: 14 l/min
Max Pressure: 4 bar



Small Watering Gun
Max Flow Rate: 10 l/min
Max Pressure: 4 bar



Medium Size Nozzle Kit
Max Flow Rate: 10 l/min
Max Pressure: 4 bar



4-Piece Small Gun Kit
Max Flow Rate: 10 l/min
Max Pressure: 4 bar



IRRIGATION HOSES



4-Piece Small multi-jet Gun Kit
Max Flow Rate: 10 l/min
Max Pressure: 4 bar



Mimosa
Type: Reinforced braided garden hose
Dimensions: 1/2", 3/4" and 1" diam
Length: 25m & 50m

HOSE REELS, GARDEN RAKES & BROOMS



ITALY

LEAVES BROOMS



Art. 920 Leaves Broom
 Width: 55cm



Art. 935 Leaves Broom
 Width: 45cm



Art. 940 Leaves Broom
 Width: 85cm

OLIVE RAKES



Art. 975 Rake for Olive Crop
 Width: 14cm (9 teeth)

HOSE REELS



DROP 50
 Hose Capacity: 60m of 1/2"



DROP 60
 Hose Capacity: 60m of 1/2"



Art. 311
 Hose Capacity: 80m of 1/2" or 50m of 3/4"

PROFESSIONAL HOSE REELS



Art. 318
 Hose Capacity: 110m of 1/2" or 90m of 3/4"



Art. 411
 Hose Capacity: 90m of 3/4"



Art. 412
 Capacities: 80m of 3/4"

DFC

KOREA



PORTABLE MINI FOGGER



DFC-99

Practical fogger with auto ignition
Fueled by Propane/ Butane cartridges

STANDARD FOGGER



DFC-150

Auto Start thermal fogger with auto ignition
Fueled by gasoline

ARNETOLI MOTOR

ITALY



PROFESSIONAL TRIMMER LINES



Dispenser

Length: 10m
Type: Round
Size: 2.4mm



Rotobox 1/2 Lb

Length: 27m
Type: Round
Size: 2.4mm



Rotobox 1 Lb

Length: 54m
Type: Round
Size: 2.4mm



TURKEY



MILKING MACHINES



Single Cow, Single Bucket

Bucket Material: Aluminum
Bucket Capacity: 30L

la Nuova Italiana S.R.L.

ITALY



Single Cow, Single Bucket

Bucket Material: Plastic
Bucket Capacity: 30L



186FAE

DIESEL ENGINE
DIESEL ENGINE

A large, bold, blue number '4' is centered in the upper half of the page. The background is a dark grey-blue gradient with abstract, overlapping geometric shapes in various shades of blue and teal that create a sense of depth and movement.

POWERLINE EQUIPMENT

GENERATORS



GASOLINE GENERATORS



PL 950
Rated Power: 650W, 3A
Starting System: Recoil



PLG 1200
Rated Power: 750W, 3.5A
Starting System: Recoil



PL 1500
Rated Power: 1000W, 4.5A
Starting System: Recoil



PL 2900 DXE
Rated Power: 2000W, 9A
Starting System: Electric / Recoil



PL 2500 XLE
Rated Power: 2000W, 9A
Starting System: Electric / Recoil



PL 3700 E
Rated Power: 2500W, 11A
Starting System: Electric / Recoil



PL 4000 BLE
Rated Power: 3000W, 13.6A
Starting System: Electric / Recoil

PL 3500 XLE
Rated Power: 2500W, 11A
Starting System: Electric / Recoil

PL 5000 BLE
Rated Power: 4000W, 18A
Starting System: Electric / Recoil

LPG GENERATORS



PL 2500 ELPG
Rated Power: 1800W, 8A
Starting System: Electric / Recoil



PL 6500 ELPG
Rated Power: 5000W, 20A
Starting System: Electric / Recoil

SILENT DIESEL GENERATORS



PL-6700 T
 Rated Power: 5KVA, 20A
 Voltage: 1Ph or 3Ph
 Optionals: ATS



PL-6700 2F
 Rated Power: 5KVA, 20A
 Voltage: 1Ph
 With 2 cooling fans

SUPER SILENT DIESEL GENERATORS



PL-6500 SS
 Rated Power: 5KVA, 20A
 Voltage: 1Ph
 Sound Level: 65dB @7m

DIESEL WELDERS



PL-6500 EW
 Max Current: 190A
 Output Power: 2KVA, 9A
 Voltage: 1Ph

SILENT DIESEL GENERATORS



PL-8000 T
 Rated Power: 6KVA, 25A
 Voltage: 1Ph
 Large fuel tank

SOUNDPROOF DIESEL GENERATORS



PL-12SST / PL-15SST / PL-20SST / PL-30SST
 Rated Power: 12, 15, 20 and 30KVA
 Voltage: 1Ph for 12 & 15KVA, 3Ph for all models
 Sound Level: 60dB @7m

WELDING MACHINES & BATTERY CHARGERS



MMA WELDING



MMA200
Max Current: 200A
Voltage: 230V, 1Ph



MMA250
Max Current: 250A
Voltage: 400V, 3Ph



MMA315M
Max Current: 315A
Voltage: 400V, 3Ph



MMA-400I
Max Current: 400A
Voltage: 400V, 3Ph

TIG WELDING (INVERTER)



TIG-200M
Max Current: 200A
Voltage: 230V, 1Ph
DC welder with MMA welding



WSM-200
Max Current: 200A
Voltage: 230V, 1Ph
DC welder with MMA welding



TIG-220P
Max Current: 220A
Voltage: 230V, 1Ph
AC/DC welder with MMA welding



WSE-200 / 250
Max Current: 200 / 250A
Voltage: 230V, 1Ph / 400V, 3Ph
AC/DC welder

PLASMA CUTTING



CUT-40
Cutting Capacity: 12mm
Voltage: 230V, 1Ph



CUT60
Cutting Capacity: 18mm
Voltage: 400V, 3Ph



CUT100
Cutting Capacity: 30mm
Voltage: 400V, 3Ph



SUPER MIG180
Max Current: 180A
Voltage: 230V, 1Ph

BATTERY CHARGERS & STARTERS



BOOST STAR 630, 530, 330



GZL 30 & 50

WELDING WIRES



ER70S-6 Steel Wire
Weights: 1Kg, 5Kg or 15Kg
Sizes: 0.6, 0.8, 1.0 and 1.2mm



ER-308L Stainless Steel Wire
Weights: 1Kg or 5kg
Sizes: 0.8mm and 1.0mm



ER-4043 Aluminum Wire
Weights: 0.5, 1Kg or 7Kg
Sizes: 0.8 and 1.0mm

TIG RODS



ER70S-6 Steel Tig Rods
Package: 10Kg
Sizes: 1.2, 1.6, 2.0 and 2.4mm



ER-308L /316L Stainless Steel
Package: 5Kg
Sizes: 1.2, 1.6, 2.0 and 2.4mm



ER-4043 Aluminium Tig Rods
Package: 5Kg
Sizes: 1.2, 1.6, 2.0 and 2.4mm

TUNGSTEN ELECTRODES



THORIATED 2%

Color: Red
Sizes: 1.0, 1.6, 2.4, 3.2 and 4.0mm
Package: Box of 10pcs
Material: Welding of ferrous materials (steel & stainless steel, etc..)

PURE

Color: Green
Sizes: 1.0, 1.6, 2.4, 3.2 and 4.0mm
Package: Box of 10pcs
Material: Welding non ferrous materials (aluminium, magnesium, etc..)

WELDING HELMETS



PL-200G
Type: Fixed



PL-200F
Type: Auto Darkening
Variable Shade: No



Vogue 350D
Type: Auto Darkening
Variable Shade: Yes



ADF-735S
Type: Auto Darkening
Variable Shade: Yes
Variable Sensitivity: Yes

POWER LINE

OILLESS COMPRESSORS



PLOC-80015
 Tank Size: 15L
 Flow Rate: 115 l/min
 Motor Power: 0.8HP
 Sound Level: 50dB



PLOC-1530 / 1550
 Tank Size: 30 or 50L
 Flow Rate: 196 l/min
 Motor Power: 1.6HP
 Sound Level: 62dB



PLOC-1530A / 1550A
 Tank Size: 30 or 50L (Alu Tank)
 Flow Rate: 90 l/min
 Motor Power: 1.1HP
 Sound Level: 50dB

INDUSTRIAL COMPRESSORS



PLIC-50
 Tank Size: 50L
 Motor Power: 2HP
 Type: Direct Driven



PLGC-150
 Tank Size: 150L
 Engine Power: 5.5HP
 Engine Type: Gasoline



PLIC-100 / 150 / 200
 Tank Size: 100 / 150 / 200L
 Motor Power: 2.0 / 2.0 / 3HP
 Flow Rate: 256 / 256 / 340L/min



PLIC-270 / 500
 Tank Size: 270 / 500L
 Motor Power: 4 / 7.5HP
 Flow Rate: 450 / 850L/min

SEMI PROFESSIONAL LINE



PLEHPC-90
Pressure: 90 bar
Absorbed Power: 1400W



PLEHPC-110
Pressure: 110 bar
Absorbed Power: 2000W



PLEHPC-130
Pressure: 130 bar
Absorbed Power: 2500W



PLEHPC-150
Pressure: 150 bar
Absorbed Power: 3000W

PROFESSIONAL LINE



PLEHPC-140 / 180 / 200
Pressure: 140 / 180 / 200 bar
Flow Rate: 7.3 / 17.7 / 16 L/min
Power: 2.2 / 3.9 / 5.5 KW

GASOLINE



PLGHPC-180
Pressure: 180 bar
Flow Rate: 14.4 L/min
Engine: 7HP Gasoline

DIESEL



PLDHPC-250
Pressure: 240 bar
Flow Rate: 21 L/min
Engine: 10HP Diesel
Starting System: Electric / Recoil

WET & DRY VACUUM CLEANERS



PL-110S (Spray Cleaner)
Tank Size: 20L
Power: 1200W



PL10-40L
Tank Size: 40L
Power: 1200W (1 motor)



PLVC-2-70L
Tank Size: 75L
Power: 2400W (2 motors)



PLVC-3-80L
Tank Size: 80 or 100L
Power: 3600W (3 motors)

POWER LINE

GASOLINE ENGINES & PUMPS



PL-168F
Power: 5.5HP
Available in 2:1 gear reduction



PL-20B
Connection Diam: 2" (50mm)
Head: 27m
Flow Rate: 500L/min



PL-30B
Connection Diam: 3" (80mm)
Head: 23m
Flow Rate: 700L/min

DIESEL ENGINES



PL-170F
Power: 4HP



PL-178F
Power: 6HP

PL-186F
Power: 10HP



PL-188F
Power: 12HP

DIESEL WATER PUMPS



PLP-20L
Connection Diam: 2" (50mm)
Head: 15m
Flow Rate: 367L/min



PLP-30L
Connection Diam: 3" (80mm)
Head: 13m
Flow Rate: 550L/min



PLP-40L / LE
Connection Diam: 4" (100mm)
Head: 16m
Flow Rate: 1067L/min

DOMESTIC PUMPS



PL-60 / PL-70 / PL-80
 Power: 0.5 / 0.75 / 1HP
 Head: 40 / 50 / 55m
 Flow Rate: 40 / 45 / 50L/min

AUTO PERIPHERAL PUMPS



PLGP-230 Auto
 Power: 0.5HP
 Head: 35m
 Flow Rate: 35L/min

GARDEN JET PUMPS



PL-60PL
 Power: 0.65HP
 Head: 40m
 Flow Rate: 42L/min

PLASTIC JET PUMP



PL-60ST
 Power: 0.65HP
 Head: 40m
 Flow Rate: 42L/min

CENTRIFUGAL PUMPS



PLCP-158 / PLCP-400 / PLCP-500
 Power: 1 / 1.5 / 2.0HP
 Head: 32 / 40 / 45m
 Flow Rate: 110 / 120 / 150L/min

TWIN IMPELLER PUMPS



PL2CP-60B
 Power: 2.0HP
 Head: 50m
 Flow Rate: 130L/min

SUBMERSIBLE PUMPS



PLSP-9-7
 Power: 0.55HP
 Head: 8m
 Flow Rate: 124L/min



PLSS-12-20
 Power: 0.75HP
 Head: 8m
 Flow Rate: 180L/min



PLSP-550F (Semi Trash)
 Power: 0.75HP
 Head: 17m
 Flow Rate: 310L/min



PLSP-1100F (Trash)
 Power: 1.5HP
 Head: 12m
 Flow Rate: 330L/min

POWER LINE

CORDLESS DRILLS



PLCD-12
 Battery Type: 12V 1.5Ah Ni-Cd
 Chuck Capacity: 10mm
 2 batteries + fast charger in carry case



PLCD-14
 Battery Type: 14.4V 1.5Ah Ni-Cd
 Chuck Capacity: 10mm
 2 batteries + fast charger in carry case



PLCD-18
 Battery Type: 18V 1.5Ah Ni-Cd
 Chuck Capacity: 10mm
 2 batteries + fast charger in carry case

DRILLS



PLD-10RB
 Power: 450W
 Drilling Capacity: 10mm

IMPACT DRILLS



PLD-16RE
 Power: 710W
 Drilling Capacity: 13mm

2-SPEED IMPACT DRILLS



PLD-20 2RE
 Power: 850W
 Drilling Capacity: 16mm

ROTARY HAMMER SDS+



PL-SDS 26E
 Power: 1100W
 Drilling Capacity: 26mm
 Complete with accessories in carry case

ROTARY HAMMER HEX



PLDH-38
 Power: 1050W
 Drilling Capacity: 38mm
 Complete with accessories in carry case

DEMOLITION HAMMER



PLDH-65
 Power: 1650W
 Impact Energy: 45J
 Weight: 16.5Kg
 Complete with chisels in carry case

ANGLE GRINDERS



PLAG-115 RB
Power: 850W
Disk Diam: 115mm



PLAG-230 RA
Power: 2100W
Disk Diam: 230mm

ABRASIVE DISKS



Abrasives for cutting and grinding steel, stainless steel and stone

ROUTERS



PLR-12A
Power: 1400W
Chuck Diam: 12mm

CIRCULAR SAW



PLC-185C
Power: 1280W
Blade Diam: 185mm

SHEET SANDER



PLS-93C
Power: 180W
Pad Size: 93x185mm

MARBLE CUTTER



PLMS-110E
Power: 1300W
Blade Diam: 110mm

TRIMMER



PLT-6C
Power: 420W
Chuck Diam: 6mm

BLOWER



PLB-25E
Power: 600W
Blowing Rate: 3.8m³/min

HAND TRUCKS



HAND TRUCKS



PL-150A
Capacity: 150Kg



PL-150B
Capacity: 120Kg



PL-150E
Capacity: 120Kg



PL-300A
Capacity: 300Kg



PL-2087
Capacity: 250Kg



PL-2011
Capacity: 90Kg



PL-2053A
Capacity: 260Kg



PL-2138
Capacity: 200Kg



PL-4024
Capacity: 150Kg



PL-4023
Capacity: 250Kg



PL-4026
Capacity: 150Kg



PL-4028
Capacity: 150Kg

PALLET TRUCKS



PLPT-3.0T

Load Capacity: 3 Tons
Wheels: PU
Max Height: 20cm

SCISSOR LIFT PALLET TRUCK



PLHLT(N)-1.0T

Capacity: 1 Ton
Wheels: Rubber
Max Height: 80cm

MANUAL STACKER



PLMS-1.0T

Capacity: 1 Ton
Max Height: 3m

SEMI-ELECTRIC STACKER



PLSES-1.0T

Capacity: 1 Ton
Max Height: 3m
Built in battery with charger

PLATFORMS



PLATFORMS



PL-125 Single Mast
Capacity: 125Kg
Max Height: 8m



PL-300 Scissor Lift
Capacity: 300Kg
Max Height: 11m

PUMPS



PLDCTP-12/24
 Voltage: 12V or 24V
 Flow Rate: 40L/min
 Power: 300W



PLACTP-60
 Voltage: 230V
 Flow Rate: 60L/min
 Power: 550W

FLOW METERS



PLFM-120-2 (Diesel)
 Flow Rate: 20-120L/min
 Pressure: 3 bar
 Digits: 4

FUEL NOZZLE



PLAN-120
 Flow Rate: 120L/min
 Spout: 38.5mm
 Type: Automatic

POLY JUGS



PLPJ-1 / 2 / 5L
 Capacity: 1 / 2 / 5L

DISPENSERS



PLACFD-60
 Voltage: 230V
 Flow Rate: 60L/min
 Power: 550W



PLDCFD-40A
 Voltage: 12V
 Flow Rate: 40L/min
 Power: 300W

POWER LINE

MANUAL GREASE PUMP



PLGP-16
Tank Capacity: 16Kg

PNEUMATIC GREASE INJECTOR



PLGI-12
Tank Capacity: 12Kg



PLGI-20
Tank Capacity: 20Kg

SANDBLASTER



PLSB-90
Tank Size: 90L
Hose Length: 3m

PNEUMATIC GREASE PUMP



PLGP-60
Capacity: 60Kg



PLGP-205
Capacity: 205Kg

OIL EXTRACTOR



PLOE-80
Tank Capacity: 80L
Equipped with pre-inspection chamber and side collection bowl

FOAM MACHINE



PLFM-80
Capacity: 80L

PNEUMATIC OIL PUMP



PLOP-205
Capacity: 205Kg

MAGNETIC HOLLOW DRILLS



PLMD-32HD
Power: 1550W
Core Drill Diam: 32mm



PLMD-42HD
Power: 1700W
Core Drill Diam: 42mm

MULTIFUNCTIONAL DRILLS



PLMD-48 2WDO
Power: 1700W
Core Drill Diam: 48mm
Twist Drill Diam: 22mm
Max Tapping Diam: 18mm

ELECTRIC MOTORS



PLEM-2HP
Power: 2HP
Type: 2 Pole
Voltage: 230V, 1Ph



PLEM-3HP
Power: 3HP
Type: 2 Pole
Voltage: 230V, 1Ph

PLEM-4HP
Power: 4HP
Type: 2 Pole
Voltage: 230V, 1Ph



PLEM-5.5HP
Power: 5.5HP
Type: 4 Pole
Voltage: 400V, 3Ph

PLEM-7.5HP
Power: 7.5HP
Type: 4 Pole
Voltage: 400V, 3Ph

CUT OFF MACHINES



PL-83501 Basic
Power: 2000W
Type: Brush
Blade Size: 350mm



PL-83503 Bosch Type
Power: 2400W
Type: Brush
Blade Size: 350mm



PL-83003I Induction
Power: 2200W
Type: Induction
Blade Size: 400mm

DRILL PRESSES & BENCH GRINDERS



DRILL PRESSES



PLDP-13
Drilling Capacity: 13mm
Power: 350W
Height: 580mm



PLDP-16B / 20T
Drilling Capacity: 16mm / 20mm
Power: 450W / 750W
Height: 950mm



PLDP-16F / 20F
Drilling Capacity: 16mm / 20mm
Power: 550W / 750W
Height: 1580mm / 1600mm



PLDP-25F
Drilling Capacity: 25mm
Power: 900W
Height: 1600mm

PLDP-32F
Drilling Capacity: 32mm
Power: 1500W
Height: 1710mm

BENCH GRINDERS



PLBG-150-6"
Power: 350W
Wheel Size: 6"



PLBG-200-8"
Power: 550W
Wheel Size: 8"



PLBG-250-10"
Power: 750W
Wheel Size: 10"



PLBG-150/CP
Power: 350W
Wheel Size: 6"
Feature: Integrated Steel Brush



PLBG-150/50
Power: 350W
Wheel Size: 6"
Feature: Integrated Belt Sander

STEP LADDERS



PL-171-WT
Available in 3 to 9 steps (Alu & Steel)

STEP STOOLS



PL-181
Available in 2 & 3 steps

MULTI PURPOSE LADDERS



PL-150
Available in 4x5 & 5x5 steps

TELESCOPIC LADDERS



PL-160-A
Available in 4x4, 5x5 & 6x6 steps

EXTENSION LADDERS



PL-120
Available in 2x10, 2x14 & 2x18 steps

COMBINATION LADDERS



PL-152-T
Available in 3x10 to 3x18 steps

POWER LINE

CONCRETE VIBRATORS



PLHHV-35
Shaft Diam: 35mm
Shaft Length: 1.5m
Power: 750W



PLEMV-2HP
Motor Power: 2HP
RPM: 2800
Connection Type: Exen Hayashi



PLGV-168F
Motor Power: 5.5HP
RPM: 3600
Connection Type: Exen Hayashi

POWER TROWELS



PT-36
Trowel Diameter: 90cm
Engine: Robin EY-20 (5HP) or
Power Line PL-168F (5HP)

PT-46
Trowel Diameter: 120cm
Engine: Robin EY-28 (7.5HP)

CONCRETE CUTTERS



PLRC-50
Engine: Honda GX-390 (13HP) or
Diesel PL-186F (10HP)
Blade Size: 50cm

PLATE COMPACTORS



PLPC-80
Plate Size: 540x420mm
Engine: PL-168F or Robin EY-20
Weight: 80Kg



PLRPC-330
Plate Size: 890x670mm
Engine: Diesel PL-186F (10HP)
Weight: 330Kg

TAMPING RAMMERS



PLTR-72
Engine: Loncin LC-165-1H (4HP)
Shoe Size: 330x285mm

THREADING MACHINES



PLTHR-2" / 4"
Capacity: 1/2" - 2" / 1/2" - 4"

ROLL GROOVING MACHINES



LSG-325
Capacity: 2" - 12"
Spindle Speed: 24rpm

BAR BENDERS



PLBB-402
Bending Capacity: 40mm
Power: 3KW, 3Ph
Type: Automatic

PLBB-52
Bending Capacity: 50mm
Power: 4KW, 3Ph
Type: Automatic

BAR CUTTERS



PLBC-42
Cutting Capacity: 40mm
Power: 3KW, 3Ph
Type: Manual Clutch

PLBC-52
Cutting Capacity: 50mm
Power: 4KW, 3Ph
Type: Manual Clutch

TILE CUTTERS



PLTC-1000 / 1250
Cutting Length: 1 / 1.25m
Cutting Depth: 6cm
Power: 3HP

ELECTRIC BLOWERS



PLCB-2"/ 3"/ 4"
Opening Diam: 2"/ 3"/ 4"
Type: Centrifugal



CONSTRUCTION HOISTS



PL-200A/ 400A/ 600A
Capacity: 200/ 400/ 600Kg
Lifting Speed: 10m/min
Cable Length: 18m

PL-800A/ 990A/ 1200A
Capacity: 800/ 1000/ 1200Kg
Lifting Speed: 8m/min
Cable Length: 18m



PL-B300D
Capacity: 300Kg
Lifting Speed: 23m/min
Cable Length: 40m

CHAIN HOISTS



PL-HHXG Series 2 Way
Capacities: 1/ 2/ 3 & 5Tons
Chain Length: 6 or 8m

PL-HHDD Series 4 Way
Capacities: 3 & 5 Tons
Chain Length: 6 or 8m

12V ELECTRIC WINCHES



PLDJ-2000H/ 2500H/ 3000H/ 3500H
Capacity: 0.9/ 1.15/ 1.35/ 1.6 Tons
Voltage: 12V DC



PLDJ-5000H/ 8000H/ 10000H/ 15000H
Capacity: 2.3/ 3.6/ 4.5/ 6.8 Tons
Voltage: 12V DC

CABLE REELS



PL-IR-25/50M
Cable: 3G, 1.5mm or 2.5mm
Length: 25m or 50m
Max Power: 3500W / 4500W



PL-GR-25/50M
Cable: 3G, 1.5mm or 2.5mm
Length: 25m or 40m
Max Power: 3500W / 4500W

DC COMPRESSORS



PLDCC-12V
Power: 12V

HAND HELD CORE DRILLS



PLCM-2020 3EBS
 Power: 2100W
 Core Drill Capacity: 6.2" (160mm)

DRILL STANDS



PLCDS-200F
 Application: 2000 series models
 core drills

CORE BITS



PLCB
 Sizes: 1" to 16"

CORE DRILLS



PLCM-2050 E
 Power: 4000W
 Core Drill Capacity: 8" (205mm)



PLCM-3050 BCE
 Power: 4650W
 Core Drill Capacity: 12" (305mm)

PLCM-2500 CE
 Power: 4350W
 Core Drill Capacity: 10" (255mm)

PLCM-4050 BCE
 Power: 5180W
 Core Drill Capacity: 16" (405mm)

FLOOR SAWS



PLWC-420 WEQ
 Power: 6280W
 Blade Capacity: 300-800mm
 Cutting Capacity: 320mm

PLWC-520 WEQ
 Power: 7980W
 Blade Capacity: 300-1200mm
 Cutting Capacity: 520mm

AGRICULTURAL SPRAYERS

POWER LINE

SMALL SPRAYERS



PLMS-1L
Capacity: 1L



PLMS-2L
Capacity: 2L

MEDIUM SPRAYERS



PLMS-5L
Capacity: 5L



PLMS-11L
Capacity: 11L

LARGE SPRAYERS



PLMS-20L
Capacity: 20L

BATTERY POWERED SPRAYERS



PLBS-18L
Capacity: 18L

CART SPRAYERS



PLCS-16L
Capacity: 16L

KNAPSACK SPRAYERS



PL-900K
Tank Capacity: 30L
Flow Rate: 75L/min
Pressure: 40 bar



PL-768K
Tank Capacity: 25L
Flow Rate: 75L/min
Pressure: 40 bar

SPRAYING PUMPS



PL-22
Flow Rate: 22L/min
Pressure: 45 bar

PL-30
Flow Rate: 40L/min
Pressure: 45 bar



PL-75
Flow Rate: 75L/min
Pressure: 40 bar



PL-120
Flow Rate: 120L/min
Pressure: 40 bar

COMPACT SPRAYERS



PL-P60T
Tank Capacity: 60L
Flow Rate: 10L/min
Pressure: 25 bar

SPRAYER SETS



PL-22A1-1N/YL90S-2
Flow Rate: 22L/min
Pressure: 45 bar
Motor: Electric 2HP

PL-22/30A1-1N/168F
Flow Rate: 22 / 40L/min
Pressure: 45 bar
Motor: Gasoline 5.5HP

MEDIUM TANK SPRAYERS



PL-100T/168F
Tank Capacity: 100L
Flow Rate: 22L/min
Pressure: 40 bar

LARGE TANK SPRAYERS



PL-180T/300T
Tank Capacity: 180/300L
Flow Rate: 22L/min
Pressure: 40 bar

CHAIN SAWS & BRUSH CUTTERS

POWER LINE

GASOLINE MINI



PL-2500
Engine: 25cc
Type: 2 Stroke
Bar Size: 30cm

GASOLINE STANDARD



PL-4500-1
Engine: 45cc
Type: 2 Stroke
Bar Size: 45cm

PL-4500-3
Engine: 45cc
Type: 2 Stroke
Bar Size: 45cm

GASOLINE PLUS



PL-5200-3
Engine: 52cc
Type: 2 Stroke
Bar Size: 50cm

ELECTRIC



PLCS-2200
Motor Power: 2200W
Type: Electric
Bar Size: 40cm

SHOULDER TYPE BRUSH CUTTERS



PLBC-415-3
Engine: 45cc
Type: 2 Stroke

BACKPACK TYPE BRUSH CUTTERS



PLBG-415
Engine: 45cc
Type: 2 Stroke

DIESEL MOTOR HOES



PL-1100BE /10HP
Power: 10HP (PL-186F)



PL-1100BE /12HP
Power: 12HP (PL-188F)

MEDIUM SIZE DIESEL MOTOR HOE



PL-1100B /6HP
Power: 6HP (PL-178F)

GASOLINE MOTOR HOE



PL-500 T-B
Power: 6.5HP (PL-170F)

TRAILER FOR DIESEL MOTOR HOES



PLAT-150
Load Capacity: 150Kg

SPARE PARTS & ACCESSORIES



POWER LINE

BRUSH CUTTERS



PLGT-250
Power: 250W
String Spool: 1.2mm x 6m
Cutting Width: 220mm



PLGT-550
Power: 550W
String Spool: 1.4mm x 10m
Cutting Width: 290mm



PLGT-1000
Power: 1000W
String Spool: 2.0mm x 5m
Cutting Width: 350mm

HEDGE TRIMMERS



PLHT-510
Power: 500W
Blade Size: 510mm

2 IN 1 POLE HEDGE TRIMMER / SAW



PLPCH-450/710
Power (Trimmer): 450W
Power (Chain Saw): 710W
Max Length: 2.6m

ELECTRIC BLOWER/ VAC



PLBV-2500
Power: 2500W
Max Air Speed: 270Km/h

GASOLINE BLOWER/ VAC



PLBV-2500
Power: 26cc
Max Air Speed: 180Km/h

ELECTRIC SHREDDERS



PLSC-40
Power: 2400W
Chipping Capacity: 40mm

GASOLINE SHREDDERS



PLSC-76
Chipping Capacity: 76mm
Power: 5.5HP
Engine: Honda GX-160



PLSC-100
Chipping Capacity: 100mm
Power: 13HP
Engine: Honda GX-390

COMPACT HOSE REELS



PLCHR-20
Type: Manual
Hose Length: 20m

AUTOMATIC HOSE REELS



PLAHR-20
Type: Automatic
Hose Length: 20m

OLIVE SHAKERS



PLOS-140
Power: 140W
Voltage: 12V DC

FLOOD LIGHTS



PLFL-500X2
Power (Halogen): 500W x 2
Power (LED): 24W x 2

POWER LINE

HYDRAULIC BOTTLE JACKS



Capacities:
1, 2, 3, 5, 10, 20, 30, 40, 50 Tons

JACK STANDS



Capacities:
2, 3, 6, 12 Tons

PORTABLE POWER JACKS



Capacities:
10 Ton

FLOOR JACKS



Capacities:
2, 3, 5 Tons

STEEL CREEPERS



ENGINE CRANES



Capacities:
1, 2, 3 Tons

TRANSMISSION JACKS



Capacities:
0.5 Ton

HYDRAULIC SHOP PRESSES



Capacities:
10 / 12 / 20 / 30 / 50 Tons



TYRE CHANGERS



PLTR-112
Max Diameter Of Wheel: 24»

WHEEL BALANCERS



PLWB-200
Max Diameter Of Wheel: 24»

AIR INFLATORS



PLAI-931BD
Air Inlet Pressure: 4-16Bar/58-232Psi
Air Outlet Pressure: 1-13Bar/15-190Psi
Max Flow Rate: 400L/Min

HYDRAULIC SINGLE POST CAR LIFTS



PLSPL-100X-4T
Lifting Capacity: 4 T
Lifting Height: 1800mm



TWO POST LIFTS



PLTPL-4000ES
Lifting Capacity: 4 / 5 T
Lifting Height: 1900mm
Lifting Time: 55s

FOUR POST PLATFORM LIFTS



PLFPL-4000ES
Lifting Capacity: 4 T
Lifting Height: 1700mm
Lifting Time: 90s

TAKLA



Showroom
Display





CONTACT US

BEIRUT- LEBANON
P.O.BOX 90-0660, JDEIDET EL METN
1202 2060 JDEIDEH BOULVARD
TEL.: 00961 (1) 892420, FAX: 00961 (1) 896420
E-MAIL: INFO@TAKLATRADING.COM
WEBSITE: WWW.TAKLATRADING.COM

ERBIL - KURDISTAN REGION - IRAQ
MAKHMOUR MAIN ROAD– SOUTH INDUSTRIAL AREA
TEL: +964 (750) 599 19 19 +964 (750) 577 17 17
E-MAIL: INFO@TAKLAIRAQ.COM
WEBSITE: WWW.TAKLAIRAQ.COM

